

Matting and Flooring Catalogue


Buy Direct Online Today at www.polymax.co.uk

- E: sales@polymax.co.uk
- **T:** +44 (0)1420 558123
- W: www.polymax.co.uk

Welcome to the Polymax Matting and Flooring Catalogue

In this catalogue you'll find our complete range of hard-wearing, anti-slip, flooring and matting for everything from kitchens and bathrooms to gyms and stable yards. All our high-quality flooring rolls and tiles have been handpicked to provide maximum grip and protection in any setting.

If you can't find what you're looking for, or just want some friendly advice, get in touch with our sales team. Remember, if it's made of rubber, we can supply it.



CONTENTS

06

2

22

34

38

40

46

Gym and Leisure

Equestrian Stable Matting Our specially designed equestrian stable mats are manufactured with premium quality rubber.

Playground and Outdoor Matting Create vibrant and colourful play environments using high-impact safety tiles and rubber pour.

Rubber Grass Matting Allow for greater drainage and help support grass growth.

Adhesives and Accessories Everything you need to install your new flooring to a professional standard.

Worldwide Leaders In Rubber Technology



Trusted By **Distributors For The** Past 15 Years

Call Us For Large **Quantity Break** Discounts

Home and Office

Our selection of flooring is the perfect way to add a splash of colour.

Trusted by leading leisure franchises across Europe, we have everything you need.

Garage and Warehouse

Make sure your garage and warehouses are safe, secure and risk-free.






Outstanding **Customer Service** Guaranteed




30,000 Products Available For Next Day Delivery









Fitting and Installation Advice

Delivery

Polymax use a trusted network of carriers that specialise in pallet deliveries across the UK. When organising delivery please consider the weight and size of the product. In order for our delivery drivers to unload your order safely, they will need to be able to unpack on level tarmac or concrete. Please ensure you can securely move the goods to your designated installation area.

Acclimatise

Rolls and mats must be removed from packaging (product may be stacked but must be laid flat) and allowed to acclimatise in the room where the installation is to take place. Room temperature should be kept between 18°C- 29°C (65°F- 85°F) with a relative humidity of 50%.

If you are not happy with any aspect of the product prior to installation, please call our sales team on 01420 558123 as we cannot accept any liability for rolls, tiles or mats that have been cut or laid down with adhesive.

Installing Your New Flooring

Flooring installation is a specialist job and we always recommend hiring a professional floor fitter. At The National Institute of Carpet and Floor Layers you'll be able to find a fully-gualified fitter near you - www.nicfltd.org.uk.

Photo Credits

A huge thank you to everyone that helped create this catalogue.

Celtic Strength Studio | Page 2, 18 www.celticstrengthstudio.co.uk

> CrossFit Wrexham | Page 4 www.crossfitwrexham.com

Complete Active | Page 4 www.completeactive.com

The Compound Gym | Page 4 www.thecompoundcardiff.com

CrossFit Chichester | Page 17 www.crossfitchichester.com

RetroCampervan | Page 31 www.retrocampervan.com

Seahorse Workboats Ltd | Page 42 www.seahorseworkboats.com

Arran Workboats | Page 42 www.arranworkboats.co.uk

What is the Best Adhesive?

Free Samples

Please be aware that samples may be taken from 'secondary' stock and are not 100% representative of the finished material. These can include slight differences in colour, texture or shape, and should be considered for guidance purposes only.

Do You Need Assistance? We're Here to Help

Corporate Head Office

Hampshire, England, United Kingdom

E: sales@polymax.co.uk **T:** +44 (0)1420 558123 W: www.polymax.co.uk

Polymax India E: sales@polymax.in **T:** +91 (0)7678 005003 W: www.polymax.in

Sales terms and conditions apply visit www.polymax.co.uk/sales-terms. All measurements are subject to ±5% tolerance.

We offer free samples on a large selection of our flooring products. You can request a sample through the product page on our website or by calling a member of our sales team.

WORLDWIDE CUSTOMER SUPPORT TEAM

Polymax Polska

E: biuro@polymaxpolska.pl

T: +48 22 208 4400

W: www.polymax.pl

Polymax Nederland

E: sales@oringen.eu

T: +31 70 250 0606

W: www.oringen.eu



Home and Office

Brighten up and protect any kitchen or bathroom with our extensive range of anti-slip, aesthetically pleasing flooring. With a wide variety of colours and styles to choose from, our selection of flooring is the perfect way to add a splash of colour, whilst continuing to safeguard against spillages and moisture build up.

SLATE Effect Flooring Tile

Authentic and stylish slate effect rubber floor tiles

- A practical and cost-effective alternative to genuine slate and stone floors
- Easy to clean and maintain that 'as new' appearance
- Manufactured from a combination of natural and synthetic rubber for added durability
- A popular choice for both commercial and domestic interiors



Product SKU	Colour	Tile Size
1003100	Slate Grey	0.5m × 0.5m × 2.5mm
1003101	Black	0.5m x 0.5m x 3.5mm


POLYSAFE Heavy Duty Safety **Flooring Roll**

Enhanced slip resistance for extra protection

- Heavy-duty finish to create a fully anti-slip and • abrasion resistant surface
- Contains antimicrobial agents with a high • resistance to dilute acids and alkalis
- Ideal for use in areas where contaminant spillages • can occur
- Classified as 'antistatic' .
- Available in 16 colours •










CIRCA PRO Flooring Roll

A simple, studded anti-slip solution

- Excellent anti-slip properties
- PU treatment, scratch proof surface and oil • resistant
- Easy to maintain with a tough and durable studded surface
- VOC compliant





1056344


CIRCA PRO Flooring Tile


Sleek and functional studded tiles

Circa Premium

Add a splash of colour

- Stylish studded design for additional grip and extra assurance underfoot
- Vibrant array of colours to help brighten up any kitchen or bathroom
- Anti-slip finish, with hard-wearing rubber, ideal for industrial use






CIRCA ULTRA Flooring Roll

Ultra premium flooring roll for heavy duty use

- Blended from hard-wearing Natural Rubber (NR) ٠ and Styrene-Butadiene Rubber (SBR)
- Anti-Slip ٠
- Aesthetically pleasing •







Granite Grey | 1055040




FLEXI Anti-Fatigue Mat

Make life easier and safer for your workforce

- Heavy-duty, flexible rubber with high tensile strength
- Raised, studded finish reduces operator fatigue by providing additional cushioning underfoot
- Ideal for individual work stations that requires the operator to be "on their feet" for an extended
- Sloped edges helps prevent tripping and ensure maximum safety in high-risk environments period of time



Product SKU	Tile Size	
1001368	1.2m x 0.9m x 15mm	
1001370	0.9m x 0.6m x 16mm	
1001399	0.31m x 0.61m x 12mm	



PCLYMAX

Polymax Entrance Mats

Professional looking protection at home or in the office

- Made from extremely tough combination of polypropylene carpet and rubber
- Non-fading, 300 gsm thick carpeted surface with anti-slip studded rubber base prevents the mats from sliding on both carpeted and smooth areas
- Ideal for both office and home use thanks to their professional look and feel
- Innovative raised twist carpet pile effectively traps moisture and dirt
- Anti-trip sloped edges for improved safety in highrisk areas
- Available in two colours: Blue or grey

PP NOT REQUIRE	
Product SKU	1001406
Tile Size	0.6m x 0.4m x 13mm


FIRMA Anti-Fatigue Mat

Prevent worker fatigue and increase productivity

- Moulded bevelled edges help reduce trip hazards in high-risk areas
- Open-holed design provides excellent drainage for areas with increased risk of spillages and moisture build up
- Cushioned rubber surface significantly reduces operator fatigue
- Available in an oil-resistant terracotta finish ideal for restaurants and kitchens
- Perfect for entrances, walk ways or wash down areas



Product SKU	Colour	Tile Size
1001366	Black	1.5m x 0.915m x 15mm
1001440	Red	1.5m x 0.915m x 15mm



CONA Entrance Mat

Pinned surface provides superior grip


- Multiple rubber pinned surface provides superior grip and an easy to maintain finish
- Durable, heavy-duty composite is ideal for heavy traffic use or entrance areas with high footfall
- Made from hard-wearing Natural rubber (NR) and Styrene Butadiene (SBR) rubber for increased life expectancy
- Anti-trip sloped edges for additional safety
- Ridged base provides increased grip and prevents mat from slipping on low-friction surfaces



Product SKU	Tile Size	
1001370	1.5m x 0.9m x 13mm	
1001371	1.8m x 0.9m x 10mm	









Gym and Leisure Flooring

Our unrivalled range of high-quality gym and leisure flooring can help kit out your facility from weight room to pool. Trusted by leading leisure franchises across Europe, we have everything you need to ensure the safety and comfort of gym goers, as well as providing shock absorbent surface protection for that expensive gym equipment.

GALAXY Gym Matting Roll

Durable rubber matting for ultimate comfort and protection

- Aesthetically pleasing crumb flooring designed to ease the strain of exercise and physical training Soft and durable rubber surface helps absorb shock, deaden noise and protect expensive gym equipment against impact damage
- Easy to maintain with Polymax Pro-long floor care kit designed to help your flooring last even longer
- Easy and quick installation, removal and storage ٠
- Available in a range of colours and thicknesses to suit your requirements
- CE-marked and approved, slip resistant to EN 14041:2004 and fire rated to EfL



According to different colour swatches and thicknesses available on our website 1.25m x 10m

Green

TOUGH Weight Lifting Tile

Roll Size

Total floor protection from your heaviest weights

- Used for Olympic weight lifting and dead lifting platforms
- Quality, high-impact rubber tiles tested for critical fall height by independent laboratory
- Available in standard polymer or premium • coloured EPDM polymer with increased UV protection to help maintain colour integrity for longer
- Engineered and manufactured for high workout • intensity, increased comfort and peace of mind



Product SKU	Tile Size	
1058495	1m x 1m x 30mm	
1058496	1m x 1m x 45mm	







Orange



White

Grey



Red



FORCE 6ft x 4ft Rubber Mat

Superior, heavy-duty protective matting

- Anti-slip design for additional comfort and safety under foot
- Hard-wearing and non-slip surface ideal for heavy-duty use
- Sweat and moisture repellent, makes it a hygienic alternative to traditional foam matting
- Easy to maintain with Polymax Pro-long floor care kit designed to help your flooring last even longer
- Extended life span when compared to similar EVA foam matting

NR SBR	HIGH ANTI-SUP	Underside
Product SKU	1001446	
Tile Size	1.83m x 1.22m x 17	7mm



Polymax Sports Underlay

Keep noise and impact to a minimum

- Medium density rubber underlay protects against impact and reduce noise levels
- Solid, flexible and cost-effective underlay to work alongside additional flooring in lower impact areas


Roll Size

10m x 12.5m x 6mm

6m x 12.5m x 10mm

6m x 12.5m x 15mm





Order online www.polymax.co.uk or contact us sales@polymax.co.uk

NR SBR

Product SKU

1056299

1055172

1058353





CROSSFIT CHICHESTER

More than just a gym

The Future of Fitness Starts With The Young People of Today

Since 2007 Archie has been applying his knowledge to help, shape, develop and improve the fitness in both himself and those around him. After opening CrossFit Chichester with his wife in 2014, he has been on a quest to help people improve their own health and fitness all the more, within the gym that they created.

U nknowingly, I began my fitness journey at just ten years old. I remember showing off my strength to my friends because I was so proud I could do five pull ups in a row. That feeling made me think anything was possible. I had the power to use my body to become fit and strong.

Growing up through my teens, the standard bench press and



pull-ups bar began to bore me. I started to look elsewhere for a fitness programme that integrated the whole body. From martial arts, home training routines. deadlift workouts or kettlebell drills. I found the things that fascinated me and kept on studying and learning. Another drive at this time, typical of being a teenager, was being someone who was always conscious of how 'lanky' they were. Sports such as surfing helped, because I became less aware of the way I looked and more focused on how my body could perform. It was a significant shift in selfacceptance that was beginning to develop in me. Something, all of us will eventually have at some point in our lives. After a while however, surfing was not competitive enough for me. So, I tried going back to the sport I'd grown up with, rugby, but it still wasn't enough. It didn't capture my fascination anymore.

It was only after taking my brother to a tiny gym on top of Portsdown hill where I discovered what I'd been looking for. A fitness regime that covered all the bases of athleticism. One where we developed strength and cardiovascular fitness. Where the movements required a high level of skill and flexibility. Where I was able to feel good, not about how my body looked but about what my body could do. That was the major difference - this routine allowed me to focus on developing my ability to become more athletic. rather than aesthetic.

We have more control over the effort we can put forth today, than the way our body may look in 6 to 12 months.

The training programme I discovered was called CrossFit.


Across the world, the fitness industry places emphasis on the aesthetics of exercise. The images, the plans, the goal is too focused on how your body looks. I certainly for a time felt that getting 'beach ready' was more important than 'life ready'. The frustrating aspect of this is that often leads to feelings of selfdoubt, self-consciousness and envy. We have more control over the effort we can put forth today, than the way our body may look in 6 to 12 months.


As a coach, some of the greatest transformations I've witnessed have taken place once the client focuses their performance by setting a specific athletic goal. For instance, running the London marathon, or to do an assisted pull-up. In this light, it's our belief at our gym that people would be more successfully athletic if they were encouraged to focus on their progression. Most people will experience comments about their appearance after 6 to 12 weeks of following a regular training program. Whereas, they might have noticed their strength increasing after just 1 to 2 weeks. Altering the intention whilst training at the gym has a real and measurable benefit, especially for young people.

For instance, our teens program is 50:50 mix of girls and boys. The girls often outlift the boys, due to being more coordinated and powerful. Up until the age of 13-14 years old, both girls and boys are on a level playing field when it comes to strength. CrossFit is also one of the few sports where men and women are paid the same in prize money. Girls and boys, who adopt these training practices early in their childhood also stand less chance of injury in other sports. It's important to remind yourself that there was a time, most likely before the age of 6. where you could squat bum to ankle and stay in that position for as long as you wanted. Try that now without assistance and you're part of the tiny proportion of westerners who can do that.

We believe in the positive impact coming to a supportive, encouraging and growth orientated environment at the gym will have on your day, week, month, year and life. Starting this practice early on will truly make a difference to your health. However, if like me you couldn't find the right programme to suit you, starting now is always going to be better than tomorrow.

Archie Cunningham Head Coach CrossFit Chichester








Order online www.polymax.co.uk or contact us sales@polymax.co.uk





MINI Power Gym Mat

Protect against wear and tear from high impact equipment

- 100% solid shock absorbent rubber, ideal for heavy impacts
- High density and natural rubber make it flexible, hard-wearing and tear resistant
- Sweat and moisture repellent, makes it the perfect hygienic solution
- Smart interlocking design for easy installation, reapplication and the ability to create unique shapes and cover specialist areas



Product SKU	Туре	Size
1002492	Tile	0.5m x 0.5m x 16mm
1002493	Ramped Edge	500mm x 80mm x 16mm
1002494	Corner Edge	500mm x 80mm x 16mm


POWER Interlocking 1.8m x 1.2m Gym Mat


Greater coverage means greater protection

- Large mats with an easy interlocking system makes it simple to install and cover large areas such as weight rooms and fitness class rooms
- Non-slip design improves comfort and safety under foot
- Sweat and moisture repellent, makes it a hygienic alternative to traditional foam matting
- Shock absorbent rubber reduces noise levels and protects against heavy impacts




Product SKU	Туре	Size
1001411	Mat	1.8m x 1.2m x 17mm
1001984	Long Side	1272mm x 120mm x 17mm
1001985	Short Side	666mm x 120mm x 17mm
1001987	Joint Section	413mm x 413mm x 17mm
1001986	Corner Section	567mm x 120mm x 17mm















FLOORLINE Pool Matting Roll

The perfect poolside protection

- Strong and flexible PVC matting, resistant to chlorine, salt water & oils
- Open track design allows for excellent drainage
- Anti-slip surface ideal for maintaining sure footing in wet conditions
- Ideal for wet rooms, swimming pools, spas, kitchens and where slip resistance is paramount
- Low maintenance and highly manoeuvrable for easy installation and reapplication
- Suitable for indoor and outdoor use

Product SKU	Roll Size
1002359	10m x 0.6m x 6mm
1002360	10m x 0.91m x 6mm


HERONRIB Pool Matting Roll


Premium poolside matting for maximum comfort and protection

- Strong and flexible PVC matting, resistant to chlorine, salt water & oils
- Superior 4-way drainage system and anti-slip properties conforming to Slip Resistance Test DIN 51097 Classification A, B & C
- Sanitised[®] anti-bacterial and anti-fungal additives provide continuous protection in areas with increased bare skin on mat contact
- Low maintenance and highly manoeuvrable for easy installation and reapplication
- Suitable for indoor and outdoor use



Product SKU	Colour	Roll Size
1002356	Blue	10m x 1m x 10mm
1002357	Blue	10m x 0.5m x 10mm
1056326	Dark Blue	10m x 1m x 10mm
1056328	Dark Blue	10m x 0.5m x 10mm
1056327	Grey	10m x 1m x 10mm
1056329	Grey	10m x 0.5m x 10mm





MATTRIX Pool Matting Roll

Increased slip-resistance for added safety

- Increased slip-resistance for added safety
- Strong and flexible PVC matting, resistant to chlorine, salt water & oils
- Open track design allows for excellent drainage
- Increased slip resistance, ideal for maintaining sure footing in extremely wet conditions
- Low maintenance, hygienic and highly manoeuvrable for easy installation and reapplication
- Increased comfort underfoot makes it ideal for, swimming pools, changing rooms and safety walkways



Product SKU	Colour	Roll Size
1002063	Blue	10m x 1m x 12mm
1002064	Blue	10m x 0.6m x 12mm
1002076	Red	10m x 1m x 12mm
1002075	Red	10m x 0.6m x 12mm

Blue











Garage & Warehouse Flooring

Make sure your garage and warehouses are safe, secure and risk-free with our specialist selection of hard-wearing, high-visibility flooring. Whether it's a small private garage or a commercial warehouse, we've got a range of styles and designs to meet your needs.

DIAMEX Interlocking Tile

Made for maximum grip and flexibility

- Checker plate surface for maximum grip
- Smart interlocking design makes it a highlyflexible option for both permanent and temporary applications
- Made from 100% recycled PVC designed to provide increased slip-resistance, shock absorption and noise reduction
- Able to withstand extreme temperatures, weather conditions and both acid and solvent resistant



Product SKU	Туре	Colour	Size
1022134	Standard Tile	Black	0.5m x 0.5m x
1022134A	Premium Tile	BIACK	14mm
1022136	Male Edge	Yellow	
1022135	Male Edge	Black	0.5mm x 85mm x
1022138	Female Edge	Yellow	14mm
1022137	Female Edge	Black	

Standard

VIGOR Interlocking Tiles

Ultimate protection from heavy-duty vehicles

- Interlocking tiles made from extremely hardwearing, 100% recyclable PVC
- Specially designed to handle heavy-duty vehicles and forklift trucks
- Low lifecycle cost & easy to maintain
- Ideal for uneven, damp or contaminated surfaces in most industrial and commercial locations
- Superior durability and abrasion resistance
- Available in either a morphic or studded design
- ESD version available



Product SKU	According to colour swatches and patterns available on our website
Tile Size	0.5m x 0.5m x 7mm
Edge Size	0.5m x 75mm x 7mm



Light Grey






Premium Tile | 1022134A



Yellow Edge



Black Edge

















F

Yellow

Morphic



Garage & Warehouse Flooring

PCLYMAX



DIAMEX PRO Flooring Roll

Slip resistant and durable garage floor covering

- Additional R12 anti-slip embossing for increased grip and high-quality finish
- Suitable for most transport, commercial and industrial settings
- PU treatment, industrial grey scratch proof • surface and oil resistant
- Highly durable, hygienic and easy to maintain •
- VOC compliant

PU PVR	HIGH ANTI-SLIP	1055192
Product SKU	Colour	Roll Size
1055191	Black	10m x 2m x 2mm
1055192	Grey	10111 X 2111 X 211111


CHEK PRO Flooring Roll

Slip resistant and durable garage floor covering

- Additional R12 anti-slip embossing for increased grip and high-quality finish
- Suitable for most transport, commercial and industrial settings
- PU treatment, industrial grey scratch proof surface and oil resistant
- Highly durable, hygienic and easy to maintain
- VOC compliant




Product SKU	Colour	Roll Size
1055189	Black	10m x 2m x 2mm
1055190	Grey	10111 X 2111 X 211111



CIRCA PRO Flooring Roll


A simple, studded anti-slip solution


- Excellent anti-slip properties
- PU treatment, scratch proof surface and oil • resistant
- Easy to maintain with a tough and durable • studded surface
- VOC compliant •



1056344







Black | 1055183











Hi-Vis Yellow Safety Walkway Matting

Roll Dimensions: 1 or 2m Wide x 2mm Thick Product SKU: 1055238 | 1M Wide Product SKU: 1055206 | 2M Wide

PRODUCT OVERVIEW

Ó

description

performance


Our Chek PRO, slip resistant and flexible floor covering is available in 2mm thickness and 1m wide rolls, with a special R12 slip resistant embossing which provides excellent safety properties. It is compliant with the EN 649 norm (34 / 43) and suitable for transport and most commercial and industrial areas. It is an adapted solution for medium traffic applications where enhanced slip resistance, durability, hygiene and easy maintenance are required.

Characteristics	Standards	Units	
Description			Safety and anti-slip flooring
General performance	BS EN ISO 10874 : 2012	Class	2.00 : 34 / 43
·	BS EN 649 : 2011	Group	Р
Usage			Medium to heavy foot traffic
Special treatment			Easy maintenance
Overall thickness	EN 428	mm	2.00
Thickness of wear layer	EN 429, ASTM F410	mm	2.00
Weight	EN 430	g/m ²	2.00 mm : 3500
Roll size	EN 426	m (width)	2
	EIN 420	m (length)	10
		m² (surface area)	20
			-
Abrasion resistance	EN 660 - 2	Group	P
	EN 660 - 2	Volume loss mm ³	< 4
	ASTM D3389 (We ight loss / 1000 cycles)	g	< 0.40
Residual indentation	EN 433	mm	~ 0.04 (≤ 0.10)
	ASTM F970 (static load)	psi	800
	ASTM F1914	inches	Avg. 0.001
Slip resistance	DIN 51130		R 12
	BS 7976 - 2 (pendulum method)		Low slip potential
	EN 13893	Coefficient	DS (> 0.30)
	ASTM D2047	of friction	Pass (0.70 avg)
Dimensional stability	EN 434	%	≤ 0.40
Flexibility	EN 435	mm	< 20
	ASTM F137		Pass
Castor chair test	EN 425	Type of use	Continuous
Sound insulation	EN ISO 717 - 2	Δ Lw = dB	4
Reaction to fire	EN ISO 9239 - 1 : 2010	kW/m ²	≥ 8
	EN ISO 11925-2 : 2010		Pass
	EN 13501 - 1 : 2007+A1 : 2009	Class	Bfl - S1
	ASTM E648-06	Туре	1
Static electrical propensity	EN 1815	kV	< 2.0
Electrical resistance	EN 1081	Ω	1010
Thermal resistance	ISO 8302 (EN 12664)	k/W m ²	< 0.00568
	ASTM 1514		Pass
Smoke density	ASTM E 662 - 05	Dm	< 450
Colour fastness to light	EN ISO 105 - B02	Degrees	≥6
Walking resonance	NF XPS 31 074		NA
Stain & chemical	BS EN ISO 26987 : 2012	Index	0 (Excellent resistance)
resistance	ASTM F925		Pass
Fungi & bacteria	(E1) PCP	%	NA
resistance	ASTM G - 21		Does not favour growth
	ASTM D3273		Pass
Clean rooms	ASTM F51/68	Class	NA
Maritime usage	IMO RES A 653 (16)		Annex 1 part 2 (Smoke & Toxicity)
	IMO MSC 61 (67)		Part 5 (Spead of Flame) and Annexure 2
	US Coast Guard approved		(Surface Flammability / Heat Release)
	Marine Equipment Directive		1121 🚭

1, 1.5, 2.5 and 3mm thicknesses available on special order.

*NA - Not applicable

ISO 14001, 2004 **ISO** 18001, 2013






















Digital Test print on to checker plate 16pt

Digital Test print on to checker plate 48pt **Digital Test print** on to checker plate 48pt bold


CHEK STD Matting Roll

Cost effective industrial floor defence

- Excellent all-round, hard-wearing, and economical flooring roll
- Premium anti-slip checker plate design with additional tear strength and UV stability
- Ideal insulation for cold concrete floors in an industrial, commercial or domestic setting
- Specialised anti-fatigue qualities provides additional comfort to increase staff productivity and reduce strain underfoot




Product SKU	Colour	Roll Size
1001820	Black	10m x 1.5m x 3mm
1001822	Black	10m x 1.2m x 5mm
1055086	Black	10m x 1.4m x 3mm
1055232	Grey	10m x 1.4m x 3mm



PCLYMAX

CIRCA STD Matting Roll Practical and dependable studded matting

- Anti-slip and comfortable under foot
- Helps insulate from moisture, damp and reduce dust build up
- Aesthetically pleasing studded surface with increased grip and durability
- Ideal cost-effective alternative for covering large • floor spaces



DIAMEX STD Matting Roll

The economical way to reduce worker fatigue

- Cost effective protection for industrial, commercial and domestic use
- Raised grooved design gives improved grip and aesthetically pleasing finish
- Specialised anti-fatigue qualities provides • additional comfort to increase staff productivity and reduce strain underfoot
- Additional width makes for easy installation with less joins required to cover large areas




Product SKU	Roll Size
1002062	10m x 1.5m x 3mm
1002487	10m x 1.5m x 5mm



PYRAMIC Matting Roll

Safe and reliable working surface

- Raised pyramid surface provides additional grip in wet environments
- Designed to reduce operator fatigue in shops, • factories, warehouses and garages
- Insulates against damp and moisture build-up •
- Available in 6mm thickness for heavy traffic areas












VIDA STD Broad Ribbed Matting

Easy-clean, robust and dependable

- High-quality, broad grooved surface with clothfinished underside for additional grip and increased strength
- Ideal for areas with heavy traffic use in industrial and commercial settings
- Deep grooved design makes for easy maintenance and cleaning
- Hard-wearing rubber with effective anti-fatigue properties



Product SKU	Roll Size
1002031	10m x 1m x 4.5mm
1001402	10m x 1.2m x 4.5mm
1002032	10m x 2m x 4.5mm
1001350	10m x 1m x 6mm




PCLYMAX

VIDA PRO Broad Ribbed Matting

Premium solution for improving staff safety

- High-quality, broad grooved surface with cloth-finished underside for additional grip and increased strength
- Deep grooved design makes for easy maintenance and cleaning
- Hard-wearing rubber with effective anti-fatigue properties
- Available with high-visibility yellow finish making it perfect for construction sites, fire exits and other highrisk areas

NR SBR]3mm 5mm ↓3mm ↓3mm
Product SKU	Colour	Roll Size
1002034	Blue	10m x 1.2m x 3mm
1001425	Green	10m x 1m x 3mm
1001407	Grey	10m x 1.2m x 3mm
1002071	Hi-Vis Yellow	10m x 1.5m x 3mm
1002233	Hi-Vis Yellow	10m x 1m x 3mm





Garage & Warehouse Flooring

FINA STD Fine Ribbed Matting

Affordable electrical safety matting

- Thinly ribbed anti-slip design provides maximum grip
- Robust, extra wide Natural (NR) and Styrene Butadiene
- rubber (SBR) rolls
 Hygienic, economical and hard-wearing floor covering ideal for walkways, assembly lines, construction sites and high footfall areas
- Available in electrical safety matting up to 650V

-

1001349


NR SBR	
Product SKU	Roll Size
1001338	10m x 1m x 3mm
1001344	10m x 1.2m x 3mm
1001427	10m x 2m x 3mm
1001482	10m x 0.9m x 3mm
1001341	10m x 1m x 4.5mm
1001347	10m x 1.2m x 4.5mm
1001342	10m x 1m x 6mm
1001348	10m x 1.2m x 6mm
1001343	10m x 1m x 9.5mm

10m x 1.2m x 9.5mm

FINA PRO Fine Ribbed Matting

Premium high-visibility electrical safety matting

- Available with high-visibility yellow finish making it perfect for high-risk areas
- Thinly ribbed anti-slip design provides maximum grip
- Hygienic, economical and hard-wearing floor covering ideal for walkways, assembly lines, construction sites and high footfall areas
- Available in electrical safety matting up to 650VIncreased flexibility for easy reapplication and
- storage




Product SKU	Colour	Roll Size
1001397	Hi-Vis	10m x 1.2m x 3mm
1003420	Hi-Vis	10m x 1.5m x 3mm
1058375	Grey	10m x 1.2m x 3mm

Red















ECO Recycled Rubber Matting Roll

Affordable environmental alternative

- Refined textured surface made from recycled rubber
- Fully-reversible matting with anti-slip finish on both sides •
- Specialised anti-fatigue qualities provides additional comfort and reduce strain underfoot
- Effective insulation and robust, hard-wearing finish ideal for use in commercial vehicles
- Available in different thicknesses to suit any application and in large rolls to reduce number of joins when covering large areas



Product SKU	Roll Size
1001160	10m x 2m x 3mm
1001838	10m x 2m x 4mm
1001161	10m x 1.4m x 10mm








Polymax PIN Mat


Environmentally friendly pin matting

- Unique 'pin' shaped natural rubber stems provide increased strength, maximum grip and added tear resistance
- Eye-catching green finish made without the use of harmful petrol derivatives
- The environmentally friendly alternative, • containing anti-oxidants which make it Ozone stabilised and UV resistant
- Cloth base gives additional slip-resistance when • placed on low-friction surfaces

NR	
Product SKU	1001188
Roll Size	450mm x 372.5mm x 20mm









Equestrian Stable Matting

Our specially designed equestrian stable mats are manufactured in our premium quality rubber to maintain the comfort of your horse and the owner's peace of mind. A non-slip, hard-wearing surface is standard across all our stable mats ensuring maximum grip to help prevent unnecessary accidents. With a wide range of sizes and designs available you'll be sure to find the ideal stable matting for you and your horse.

MAX MAT 6ft x 4ft Rubber Tile

Versatile, all-purpose stable matting

- Available with a morphic, studded or grid surface
- Ideal for use as bedding in horse stables, yard • flooring, and horse boxes
- Specially designed, anti-slip surface provides • maximum grip for both horse and rider
- Easy to clean and maintain, with sloped edges to help with drainage
- Thick, durable rubber acts as an anti-bacterial barrier, keeping your horse healthy all year round
- Simple to install and cost-effective alternative ٠
- Two-years manufacturing defect guarantee •



Product SKU	Colour	Tile Size	
MM002	Morphic	1.83m x 1.22m x 16mm	
MM014	Studded	1.83m x 1.22m x 17mm	
MM015	Grid	1.83m x 1.22m x 17mm	
MM020	Grid	1.83m x 1.22m x 12mm	

Grid Pattern

COBBLE Horse Trailer Roll

The safest way to transport your horses

- Made from hard-wearing Natural Rubber (NR)
- Effective and sturdy cobbled design provides a fantastic anti-slip top surface which also helps dampen vibrations in moving vehicles
- Ideal for use in horse boxes and transportation . vehicles

5m x 2m x 10mm

Easy to clean and maintain •



Roll Size

100	20	100	-
-65	2	-81	×.
100	199	22	
		5	-
63		60	
	<u>ور ا</u>		2
1	6	-	-
100	28	-	-25
-83		н.	
		- 2	
	-		
	<u>.</u>		9
	85	100	10
25.	100	- 22	20
200	-	- 10	
12	- 12		
100	1.7		8.0
82			
	-	65	100
		-	10
80	100	-05	- 6
-	69	- 6	-
100	- 61	-	-
100	- 10	-	67
100	۰.	100	100
28		-	84
100	-		100
10	85	100	
	100	61	- 20
and the	80) 1	100	
86	a		-
-	201	11	
100	12		-
200		12	100
	67		2
82	-		100
	1	100	1
100			
1	100	100	
100			1
Bill 2	6	10 P	
100	1		1.1
663	10		1
	-	6.7	11
	107	1000	
	24	6.0	100
	200	1	-
	1.7		10.2
	-		
	10	100	
1		100	
807	E.	2	- 4
		1	
	1	S. 1	
	6		-










Studded Patter




RAMP Extra Strength Matting

Maximum strength and tear resistance

- High-quality fabric backing makes this our strongest matting in the range
- Exceptional anti-tear properties with a high mechanical strength
- Clean studded finish offers excellent durability and attractive appearance
- Excellent non-slip characteristics
- Ideal for heavy footfall areas, stable yards and horse ramps
- Easy to clean and maintain



Product SKU	Roll Size
MM005	10m x 1.2m x 4.5mm
MM006	10m x 1.5m x 4.5mm



EVA Foam Closed Cell Sheet

Cushioned protection for stable walls


- Constructed from heavy density cushioned foam ideal for lining stables and horse boxes
- Easy to install and maintain with sizes compatible with most standard stables and boxes
- Entirely non-toxic, non-absorbent and does not retain moisture
- Help to reduce dust in the stable and minimise respiratory disorders
- Provides superior impact resistance to protect animals from injury
- Offers excellent sound and temperature insulation

1058347 1.8m x 1.2m x 10mm

Order online www.polymax.co.uk or contact us sales@polymax.co.uk



Product SKU	
Tile Size	









Playground & Outdoor Matting

We create vibrant and colourful play environments using high-impact tiles and slip resistant grass matting to provide maximum, worry-free enjoyment. We strive to reduce risk of impact related injuries and encourage outside play. Our ground technicians and creative team work closely with our customers from design to installation in order to deliver a quality product of stunning visual impact and safety.

PLAY Safety Tiles

The safest way for children to play

- Quality, high-impact rubber tiles tested for critical fall height by independent laboratory (RAPRA certified)
- Available in standard polymer or premium coloured EPDM polymer with increased UV protection to help maintain colour integrity for longer
- Made from environmentally friendly recycled rubber
- Easy to lay, lightweight and durable for year-round protection across a wide range of indoor and outdoor play areas
- More cost-effective than installation of other safety systems (e.g. wet pour)
- Available in thicknesses from 30mm to 70mm and in a range of colour combinations, including hopscotch game designs



Product SKU	Colour	Roll Size
1001379	Green	1m x 1m x 30mm
1001319	Green	1m x 1m x 45mm
1002491	Terracotta	1m x 1m x 30mm
1058498 Black		1m x 1m x 30mm


Black

PLAY Rubber Wet Pour

Contact us to find out more about this service

- CE Certified
- Slip Resistant •
- Durable •
- Reach Compliant •
- . Virtually Maintenance Free
- Ability to add additional shapes •













Green





Playground & Outdoor Matting



ORBIK Grass Mat

PCLYMAX

Easy connecting grass mats for large open spaces

- Raised studded underside to prevent mats from slipping on grassy or uneven surfaces
- Smaller open-holed design gives superior anti-slip • properties, increases comfort underfoot, allow for greater drainage and helps support grass growth
- RAPRA tested to critical fall heights of up to 3.4 • metres
- Moulded rubber connecting hinges securely link mats together in order to safely cover any sized area
- Ideally suited for children's playgrounds or as a . permanent grass covering in overflow or off-road parking areas

NR SBR	D HIGH ANTI-SLIP
Product SKU	1001308
Tile Size	1.5m x 1m x 22mm


EASI Grass Mat

Economical safety mat with excellent drainage

- Raised studded underside to prevent mats from slipping on grassy or uneven surfaces
- RAPRA tested to critical fall heights of up to 3.4 metres
- Open-holed design helps to reduce risk of • slipping, increase comfort underfoot and allow for good drainage
- 23mm thick EASI mats are BS EN1177:2008 certified
- EASI matting is also available in Fire Retardant • mats version tested as per BS 5173



Product SKU	Colour	Tile Size
1001059	Black	1.5m x 1m x 16mm
1001300	Black	1m x 0.3m x 23mm
1001360	Black	0.6m x 0.4m x 23mm
1001361	Black	1.2m x 0.8m x 16mm
1001362	Black	1.5m x 1m x 23mm
1001716	Black	1.5m x 1m x 22mm
1002485	Green	1.5m x 1m x 23mm



1002485

ARRAY Hollow Matting Roll

The greatest grip in the wettest conditions

- Excellent drainage and easily cleaned making it perfect for temporary walk ways and play parks
- The specially designed non-slip top surface provides excellent grip even in extremely wet conditions
- A flattened, tiled covering provides additionally cushioning underfoot and gives extra fatiguerelief during continued use
- Durable, long-lasting matting rolls make these • ideal for quick installation and reapplication in temporary locations, such as events and parties

NR SBR	HIGH ANTI-SLIP	
Product SKU	1002484	
Roll Size	10m x 1.83m x 10mm	
















COMBI Grass Matt

Easy to assemble, same great protection

- Easy to assemble, same great protection
- Easily connect individual mats together without adhesive or additional fastenings
- Modular system creates secure, anti-slip surface even in wet or greasy environments
- Raised, studded, underside enables better drainage and aeration
- Comfortable and durable rubber surface helps
 reduce fatigue
- Ramps available

Product SKUTypeColourSize1001363TileBlack914mm x 0.914m x 15mm1001720Male EdgeYellow1001721Male EdgeBlack1058802Male EdgeBlue1058805Male EdgeBlue1058800Female EdgeRed1058803Female EdgeYellow1058803Female EdgeBlack1058804Female EdgeBlue	NR SBR	NOT REQUIRED	IIGH ANTI-SLIP	
1001720 Male Edge Yellow 1001721 Male Edge Black 1058802 Male Edge Red 1058805 Male Edge Blue 1058800 Female Edge Red 1058803 Female Edge Yellow 1058803 Female Edge Blue 1058803 Female Edge Black		Туре	Colour	Size
1001721Male EdgeBlack1058802Male EdgeRed1058805Male EdgeBlue1058500Female EdgeRed1058629Female EdgeYellow1058803Female EdgeBlack	1001363	Tile	Black	914mm x 0.914m x 15mm
1058802Male EdgeRed1058805Male EdgeBlue1058500Female EdgeRed1058629Female EdgeYellow1058803Female EdgeBlack	1001720	Male Edge	Yellow	
1058805 Male Edge Blue 914mm x 75mm x 14mm 1058500 Female Edge Red 914mm x 75mm x 14mm 1058803 Female Edge Yellow 914mm x 75mm x 14mm	1001721	Male Edge	Black	
1058500 Female Edge Red 1058629 Female Edge Yellow 1058803 Female Edge Black	1058802	Male Edge	Red	
1058500Female EdgeRed1058629Female EdgeYellow1058803Female EdgeBlack	1058805	Male Edge	Blue	914mm x 75mm x 14mm
1058803 Female Edge Black	1058500	Female Edge	Red	514HIII X 75HIII X 14HIII
	1058629	Female Edge	Yellow	
1058804 Female Edge Blue	1058803	Female Edge	Black	
	1058804	Female Edge	Blue	



Black and Green



The ultimate slip protection in extreme conditions

- Simple, open grid interlocking tiles are quick and easy to assemble, making them a perfect temporary or permanent option
- Made from 100% REACH compliant recycled PVC
 - Abrasive pimples cover the surface to provide superior grip and help prevent slipping in extreme outdoor conditions
- Tiles also available with high-visibility yellow edging to help reduce risk of tripping
- Chemical, oil and acid resistant




Product SKU	Туре	Colour	Size
1022127	Tile	Black	500mm x 500mm x 16mm
1022128	Female Edge	Black	
1022129	Female Edge	Yellow	500mm x 60mm x 16mm
1022130	Male Edge	Black	
1022131	Male Edge	Yellow	
1022132	Corner	Black	60mm x 60mm x 16mm
1022133	Corner	Yellow	



Black Edge






Black and Orange



Black and Red



White











ge Black C



Black Corner Yellow Corner



Lattice Grass Reinforcement Plastic Mesh for stabilising grass surfaces

- Made from black or green fully recyclable, lightweight polyethylene
- For pedestrian traffic and occasional light traffic
- Chemically inert material ensures no • contamination will occur when buried in soil or exposed to moisture
- UV stabilised and easy to install .
- Ideal for outdoor vehicle access areas, temporary . overflow car parks, footpaths






Product SKU	Roll Size	Colour	GSM
1001763	30m x 2m x 3mm	Black	430
1001765	30m x 2m x 4mm	Green	660
1058507	30m x 2m x 4mm	Black	660

Ground Reinforcement Mesh

Plastic Mesh for stabilising grass surfaces

- Made from black or green fully recyclable, lightweight polyethylene
- Suitable for light vehicle and heavy pedestrian usage
- Chemically inert material ensures no contamination will occur when buried in soil or exposed to moisture
- UV stabilised and easy to install
- Ideal for outdoor vehicle access areas, temporary/ overflow car parks, footpaths





Grass Mat Installation Accessories


There is a detailed installation video available on our website which shows the proper fixing method for grass mats. Please view the video by clicking here.



Grass Matt Connector Rubber plug that can be used instead of cable ties for EASI and ORBIK grass mats.



1001355



Grass Peg





MAPEI VS90 Acrylic Adhesive

Dry and Flat Surface Not in Contact with Water or Damp

Hard set, highly shear resistant, wet-bed dispersion adhesive, specific for PVC and rubber floorings and wall coverings on absorbent substrates. Also suitable as universal adhesive for all common resilient and textile floor covering types.

Product SKU	Max Coverage (m ²)	Weight (Kg)	
3005023	18	5	
3005025	55	15	



Primer, Screed and Accessories



MAPEI Eco Prime T

improve adhesion.

Product SKU

Acrylic Surface Primer is all purpose primer for interiors to



MAPEI Ultraplan Screed

Fibre reinforced self-levelling compound for the renovation of existing floor substrates.

Product SKU



Flooring for Verticle Applications, Walls & Stairs

Double coat polychloroprene adhesive in solvent for the installation of floor and wall coverings, where instant bonding is required.

- PVC on curved surfaces or where instant bonding is required;
- PVC floor and wall coverings, and where instant bonding is required or on non-absorbent surfaces
- Wood and cork floor and wall coverings with PVC backing.

Product SKU	Max Coverage (m ²)	Weight (Kg)	
3005021	16	5	






MAPEI G19/G20 Two Part Adhesive

Flat Surface with Contact to Water or Moisture

Two-component epoxy polyurethane adhesive used for bonding rubber, PVC, semi-flexible vinyl sheet and tile, textile and linoleum floor coverings internally and externally on new or existing substrates.

Product SKU	Product	Max Coverage (m²)	Weight (Kg)
3005005	G19	4	2
3043174	G19	11	5
3043173	G19	22	10
3005003	G20	11	5
3005004	G20	22	10







3005008

3005022



A2 Adhesive Spreader It's easy to apply the correct amount of adhesive with this flooring adhesive spreader.

Product SKU

Product SKU

Get in Touch Today

Now that you've discovered everything you need about our matting and flooring range; ordering couldn't be simpler. Get in touch today with one our sales team by calling 01420 558123 or emailing sales@polymax.co.uk. Alternatively, why not head over to www.polymax.co.uk to view our full product range. We offer over 150,000 of the highest quality rubber products.

Remember, if it's made of rubber, we can supply it.

If you've enjoyed our service don't forget to leave us a 5-star review on Google, or let us know through our Twitter, Facebook or LinkedIn pages.





MAPEI Latexplan Leveller

Trade levelling & smoothing compound suitable for commercial all applications.

1001722

Product SKU





Polymax PVC Cove Former is designed to allow tiles or sheet to be laid up walls.

1055201



4 in 1 Floor Care Kit Prepare, protect and prolong. 1 litre bottles with applicator. Individual bottles available to buy seperately.

Product SKU

3005010





Building 75 Whitehill & Bordon Enterprise Park Budds Lane, Bordon, Hampshire, GU35 0FJ

www.polymax.co.uk | sales@polymax.co.uk | +44 (0)1420 558123